



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

THERMON T-85 Heat Transfer Compound

Version number: GHS 1.0

Date of compilation: 2016-03-15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **THERMON T-85 Heat Transfer Compound**
Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses for use in heat tracing and various other applications to aid in the transfer of heat.

1.3 Details of the supplier of the safety data sheet

Thermon Europe B.V.
Boezemweg 25
2641 KG Pijnacker
PO Box: 205
2640 AE
Netherlands

Telephone: +31 15 3615 316
Telefax: e-mail: info@thermon.com
Website: www.thermon.com
e-mail (competent person)

SDS@thermon.com

1.4 Emergency telephone number

Poison centre		
Country	Name	Telephone
United Kingdom	National Poisons Information Service (NPIS). For medical professionals only.	0844-8920111 (UK only)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	Cat. 2	(Skin Irrit. 2)	H315
3.3	serious eye damage/eye irritation	Cat. 2	(Eye Irrit. 2)	H319
3.4S	skin sensitisation	Cat. 1	(Skin Sens. 1)	H317
4.1C	hazardous to the aquatic environment - chronic hazard	Cat. 2	(Aquatic Chronic 2)	H411

Remarks

For full text of H-phrases: see SECTION 16.

Supplemental hazard information

Hazards arising from this product are primarily present when product is in the uncured state. Once hardened, the compound is non-hazardous; however dust that may result from mechanical disturbance can be hazardous.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

THERMON T-85 Heat Transfer Compound

Version number: GHS 1.0

Date of compilation: 2016-03-15

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Warning

Pictograms

GHS07, GHS09



Hazard statements

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Precautionary statements - prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P391 Collect spillage.

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant.

Hazardous ingredients for labelling: bisphenol-A-epichlorohydrine, epoxyresin (average molecularweight \leq 700)

2.3 Other hazards

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms
bisphenol-A-epichlorohydrine, epoxyresin (average molecularweight \leq 700)	CAS No 25068-38-6 EC No 500-033-5	50 - < 75	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Aquatic Chronic 2 / H411	
Respirable Crystalline Silica	CAS No 14808-60-7 EC No 238-878-4	1 - < 5	STOT RE 1 / H372	



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

THERMON T-85 Heat Transfer Compound

Version number: GHS 1.0

Date of compilation: 2016-03-15

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms
ethylamine-boron trifluoride	CAS No 75-23-0 EC No 200-852-5	1 - < 5	Acute Tox. 4 / H332 Skin Corr. 1 / H314 STOT SE 3 / H335	

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

the product is not combustible, co-ordinate firefighting measures to the fire surroundings

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

carbon monoxide (CO), carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

THERMON T-85 Heat Transfer Compound

Version number: GHS 1.0

Date of compilation: 2016-03-15

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Take up mechanically. Wipe up with absorbent material (e.g. cloth, fleece).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

• Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not to eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Incompatible substances or mixtures

Keep in a cool, well-ventilated place away from acids, alkalis, heavy metal salts and reducing substances.

Consideration of other advice

• Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

Not relevant.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

THERMON T-85 Heat Transfer Compound

Version number: GHS 1.0

Date of compilation: 2016-03-15

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

No information available.

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Source
GB	silica, crystalline	14808-60-7	WEL		0.1			EH40/2005

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

Relevant DNELs/DMELs/PNECs and other threshold levels

• relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
bisphenol-A-epi-chlorohydrine, epoxyresin (average molecularweight ≤ 700)	25068-38-6	DNEL	8.33 mg/kg	human, dermal	worker (industry)	acute - systemic effects
bisphenol-A-epi-chlorohydrine, epoxyresin (average molecularweight ≤ 700)	25068-38-6	DNEL	12.25 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
bisphenol-A-epi-chlorohydrine, epoxyresin (average molecularweight ≤ 700)	25068-38-6	DNEL	8.33 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
bisphenol-A-epi-chlorohydrine, epoxyresin (average molecularweight ≤ 700)	25068-38-6	DNEL	12.25 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

• relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
bisphenol-A-epi-chlorohydrine, epoxyresin (average molecularweight ≤ 700)	25068-38-6	PNEC	0.006 mg/l	aquatic organisms	freshwater	short-term (single instance)
bisphenol-A-epi-chlorohydrine, epoxyresin (average molecularweight ≤ 700)	25068-38-6	PNEC	0.0006 mg/l	aquatic organisms	marine water	short-term (single instance)



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

THERMON T-85 Heat Transfer Compound

Version number: GHS 1.0

Date of compilation: 2016-03-15

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
bisphenol-A-epi-chlorohydrine, epoxyresin (average molecularweight ≤ 700)	25068-38-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
bisphenol-A-epi-chlorohydrine, epoxyresin (average molecularweight ≤ 700)	25068-38-6	PNEC	0.996 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
bisphenol-A-epi-chlorohydrine, epoxyresin (average molecularweight ≤ 700)	25068-38-6	PNEC	0.0996 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
bisphenol-A-epi-chlorohydrine, epoxyresin (average molecularweight ≤ 700)	25068-38-6	PNEC	11 mg/kg	aquatic organisms	water	short-term (single instance)
bisphenol-A-epi-chlorohydrine, epoxyresin (average molecularweight ≤ 700)	25068-38-6	PNEC	0.196 mg/kg	terrestrial organisms	soil	short-term (single instance)
bisphenol-A-epi-chlorohydrine, epoxyresin (average molecularweight ≤ 700)	25068-38-6	PNEC	0.018 mg/l	aquatic organisms	water	continuous

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. (EN 166).

Skin protection

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

• type of material



IIR: isobutene-isoprene (butyl) rubber



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

THERMON T-85 Heat Transfer Compound

Version number: GHS 1.0

Date of compilation: 2016-03-15

- **material thickness**

> 0.6 mm.

- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection



In case of inadequate ventilation wear respiratory protection. P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid (paste)
Colour	black
Odour	characteristic

Other physical and chemical parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	>260 °C
Flash point	251 °C (DIN EN ISO 2719)
Evaporation rate	not determined
Flammability (solid, gas)	not relevant (fluid)
Explosive limits	not determined
Vapour pressure	0.03 Pa at 77 °C
Density	not determined
Relative density	1.44 (water = 1)
Solubility(ies)	not determined
Partition coefficient	
n-octanol/water (log KOW)	This information is not available.
Auto-ignition temperature	not determined
Viscosity	not determined
Explosive properties	none
Oxidising properties	none

9.2 Other information

Of no significance.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

THERMON T-85 Heat Transfer Compound

Version number: GHS 1.0

Date of compilation: 2016-03-15

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

High temperature will cause a hardening effect that is intended per the use of product.

Physical stresses which might result in a hazardous situation and have to be avoided

strong shocks

10.5 Incompatible materials

Compound can react with strong oxidizing agents, strong Lewis or mineral acids, and strong alkalis. Polymerizes exothermically with amines, mercaptans, and Lewis acids at ambient temperature and above. Caustic soda (sodium hydroxide) can induce vigorous polymerization at temperatures around 200 °C (392 °F)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

• Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
ethylamine-boron trifluoride	75-23-0	inhalation: vapour	11

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
bisphenol-A-epichlorohydrine, epoxyresin (average molecularweight ≤ 700)	25068-38-6	oral	LD50	>2,000 mg/kg	rat
bisphenol-A-epichlorohydrine, epoxyresin (average molecularweight ≤ 700)	25068-38-6	dermal	LD50	>2,000 mg/kg	rat

Skin corrosion/irritation

Causes skin irritation.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

THERMON T-85 Heat Transfer Compound

Version number: GHS 1.0

Date of compilation: 2016-03-15

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Other information

Hazards arising from this product are primarily present when product is in the uncured state. Once hardened, the compound is non-hazardous; however dust that may result from mechanical disturbance can be hazardous. Once hardened, the compound is non hazardous. Cutting, grinding, crushing, or drilling hardened compound may generate dust containing silica, graphite, and/or inorganic colorant. The dust may irritate the nose, throat, and respiratory tract. Coughing, sneezing, chest pain, shortness of breath, inflammation of mucous membrane, and flu-like fever may occur following exposures in excess of appropriate exposure limits. Pre-existing respiratory conditions may be aggravated when in the presence of dust.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
bisphenol-A-epichlorohydrine, epoxyresin (average molecularweight ≤ 700)	25068-38-6	LC50	2.7 mg/l	fish	48 hours
bisphenol-A-epichlorohydrine, epoxyresin (average molecularweight ≤ 700)	25068-38-6	EC50	2.8 mg/l	aquatic invertebrates	48 hours
bisphenol-A-epichlorohydrine, epoxyresin (average molecularweight ≤ 700)	25068-38-6	ErC50	>11 mg/l	algae	72 hours

Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment.

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
bisphenol-A-epichlorohydrine, epoxyresin (average molecularweight ≤ 700)	25068-38-6	LC50	4.4 mg/l	fish	24 h
bisphenol-A-epichlorohydrine, epoxyresin (average molecularweight ≤ 700)	25068-38-6	EC50	4.6 mg/l	aquatic invertebrates	24 h



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

THERMON T-85 Heat Transfer Compound

Version number: GHS 1.0

Date of compilation: 2016-03-15

12.2 Persistence and degradability

This material is not persistent in aquatic systems. It is high in pH, (when undiluted and/or not neutralized) which is acutely harmful to aquatic life. Diluted material rapidly de-polymerizes to yield dissolved silica (not distinguishable from natural dissolved silica). It does not contribute to BOD. This material does not bio-accumulate except in species that use silica as a structural material such as siliceous sponges and diatoms. The addition of excess dissolved silica over the limiting concentrations will not stimulate the growth of diatom populations. Neither silica nor sodium will appreciably bio-concentrate up the food chain.

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
bisphenol-A-epichlorohydrine, epoxyresin (average molecularweight \leq 700)	25068-38-6	oxygen depletion	5 %	28 d

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
bisphenol-A-epichlorohydrine, epoxyresin (average molecularweight \leq 700)	25068-38-6		2.918	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

The alkalinity of this material will have a local effect on ecosystems sensitive to changes in pH.

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

THERMON T-85 Heat Transfer Compound

Version number: GHS 1.0

Date of compilation: 2016-03-15

SECTION 14: Transport information

14.1	UN number	3082
14.2	UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	Hazardous ingredients	Bisphenol-A-epichlorohydrine, epoxyresin (average molecularweight ≤ 700)
14.3	Transport hazard class(es)	
	Class	9 (environmentally hazardous)
14.4	Packing group	III (substance presenting low danger)
14.5	Environmental hazards	hazardous to the aquatic environment (bisphenol-A-epichlorohydrine, epoxyresin (average molecular-weight ≤ 700))
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be complied within the premises.	
14.7	Transport in bulk according to Annex II of MARPOL and the IBC Code	
	The cargo is not intended to be carried in bulk.	

Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class	9
Classification code	M6
Packing group	III
Danger label(s)	9 + "fish and tree"



Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	274, 335, 375, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	E
Hazard identification No	90
Emergency Action Code	3Z

• International Maritime Dangerous Goods Code (IMDG)

UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class	9
Marine pollutant	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	9 + "fish and tree"



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

THERMON T-85 Heat Transfer Compound

Version number: GHS 1.0

Date of compilation: 2016-03-15



Special provisions (SP)	274, 335, 909
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-F
Stowage category	A
• International Civil Aviation Organization (ICAO-IATA/DGR)	
UN number	3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Class	9
Environmental hazards	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	9 + "fish and tree"



Special provisions (SP)	A97, A158, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

- **Restrictions according to REACH, Annex XVII**

None of the ingredients are listed.

- **List of substances subject to authorisation (REACH, Annex XIV)**

None of the ingredients are listed.

- **Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II**

None of the ingredients are listed.

- **Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)**

None of the ingredients are listed.

- **Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)**

None of the ingredients are listed.

- **Explosives precursors which are subject to restrictions**

None of the ingredients are listed.

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

THERMON T-85 Heat Transfer Compound

Version number: GHS 1.0

Date of compilation: 2016-03-15

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	BioConcentration Factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	seriously damaging to the eye
Eye Irrit.	irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
log KOW	n-octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

THERMON T-85 Heat Transfer Compound

Version number: GHS 1.0

Date of compilation: 2016-03-15

Abbr.	Descriptions of used abbreviations
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
Skin Sens.	skin sensitisation
STEL	short-term exposure limit
STOT RE	specific target organ toxicity - repeated exposure
STOT SE	specific target organ toxicity - single exposure
TWA	time-weighted average
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H314	causes severe skin burns and eye damage
H315	causes skin irritation
H317	may cause an allergic skin reaction
H319	causes serious eye irritation
H332	harmful if inhaled
H335	may cause respiratory irritation
H372	causes damage to organs through prolonged or repeated exposure
H411	toxic to aquatic life with long lasting effects

Disclaimer

Data is presented in good faith and is based on the present state of our knowledge. It is intended to describe the compound with regard to the appropriate safety precautions. This information is not intended to be a product specification. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable.

However, users should review these recommendations in the specific context of the intended use and determine whether they are appropriate.